ELSEVIER

Molecular Brain Research 53 (1998) 349–351

MOLECULAR BRAIN RESEARCH

Author Index

Akagi, K., see Iwase, K. (53) 1
Arnold, J.S., see Wu, S. (53) 88

Balduini, W., see Cimino, M. (53) 297
Bale, T.L. and Dorsa, D.M.
NGF, cyclic AMP, and phorbol esters regulate oxytocin receptor gene transcription in SK-N-SH and MCF7 cells (53) 130
Bamburg, J.R., see Bernstein, B.W. (53) 236
Battaglino, P.B., see Fathi, Z. (53) 348
Beermann, F., see Tief, K. (53) 307
Belagaje, R.M., see Wu, S. (53) 88
Berman, S., see Li, J. (53) 174
Bernstein, B.W., DeWit, M. and Bamburg, J.R.
Actin disassembles reversibly during electrically induced recycling of synaptic vesicles in cultured neurons (53) 236
Bethea, C.L., see Pecins-Thompson, M. (53) 120
Bianchi, M., see Cimino, M. (53) 297
Bock-Samson, S., see Wouters, B.C. (53) 53
Bresnick, J.N., see Stefanis, N.C. (53) 112
Brooks, P.J., see Marietta, C. (53) 317
Brown, A.N., see Pecins-Thompson, M. (53) 120
Burgett, S.G., see Wu, S. (53) 88
Burkhoff, A.M., Linemeyer, D.L. and Salon, J.A.
Distribution of a novel hypothalamic neuropeptide Y receptor gene and its absence in rat (53) 311
Bursztajn, S., see Li, J. (53) 174

Cagampang, F.R.A., Rattray, M., Campbell, I.C., Powell, J.F. and Coen, C.W.
Variation in the expression of the mRNA for protein kinase C isoforms in the rat suprachiasmatic nuclei, caudate putamen and cerebral cortex (53) 277
Campbell, I.C., see Cagampang, F.R.A. (53) 277
Caput, D., see Magazin, M. (53) 301
Cattabeni, F., see Cimino, M. (53) 297
Cavrois, E., see Magazin, M. (53) 301
Chan, P.H., see Weisbrot-Lefkowitz, M. (53) 333
Cimino, M., Balduini, W., Marini, P., Cattabeni, F., Court, J.A., Bianchi, M. and Magnani, M.
Expression of hexokinase mRNA in human hippocampus (53) 297
Coen, C.W., see Cagampang, F.R.A. (53) 277
Colangelo, A.M., Follesa, P. and Mocchetti, I.
Differential induction of nerve growth factor and basic fibroblast growth factor mRNA in neonatal and aged rat brain (53) 218
Court, J.A., see Cimino, M. (53) 297
Crocker, S.J., Morelli, M., Wigle, N., Nakabeppu, Y. and Robertson, G.S.
D_1-receptor-related priming is attenuated by antisense-meditated 'knockdown' of *fosB* expression (53) 69
Cunningham, A.M., see Fathi, Z. (53) 348

DeWit, M., see Bernstein, B.W. (53) 236
Dietrich, H., see Hu, Y. (53) 251
Dorsa, D.M., see Bale, T.L. (53) 130
Dragunow, M., see Hughes, P.E. (53) 138
Drescher, D.G., see Morley, B.J. (53) 78

Elgoyhen, A.B., see Morley, B.J. (53) 78

Fathi, Z., Cunningham, A.M., Iben, L.G., Battaglino, P.B., Ward, S.A., Nichol, K.A., Pine, K.A., Wang, J., Goldstein, M.E., Iismaa, T.P. and Zimanyi, I.A.
Cloning, pharmacological characterization and distribution of a novel galanin receptor. [This article was published in Mol. Brain Res. 51/1,2 (1997) 49–59] (53) 348
Ferrara, P., see Magazin, M. (53) 301
Fine, R.E., see Johnson, R.J. (53) 104
Follesa, P., see Colangelo, A.M. (53) 218
Fujii, M., see Kobayashi, M. (53) 206
Fukunaga, K., see Iwase, K. (53) 1

Gallinari, P., see Marietta, C. (53) 317
Gallinat, S., see Stroth, U. (53) 187
García-Barcina, J.M. and Matute, C.
AMPA-selective glutamate receptor subunits in glial cells of the adult bovine white matter (53) 270
Garyfallou, V.T., see Kohama, S.G. (53) 328
Goldstein, M.E., see Fathi, Z. (53) 348

Han, Y.-G., see Seong, J.Y. (53) 226
Henriksson, B.G., see Rasmuson, S. (53) 285
Hiel, H., see Morley, B.J. (53) 78
Holmes, M.C., see Rasmuson, S. (53) 285
Howlett, A.C., see McIntosh, H.H. (53) 163
Hu, Y., Schett, G., Zou, Y., Dietrich, H. and Xu, Q.
Abundance of platelet-derived growth factors (PDGFs), PDGF receptors and activation of mitogen-activated protein kinases in brain decline with age (53) 251
Huang, Z., see Petitto, J.M. (53) 152
Hughes, P.E., Young, D., Preston, K.M., Yan, Q. and Dragunow, M.
Differential regulation by MK801 of immediate-early genes, brain-derived neurotrophic factor and trk receptor mRNA induced by a kindling after-discharge (53) 138

Iadarola, M.J., see Messersmith, D.J. (53) 259
Iben, L.G., see Fathi, Z. (53) 348
Iismaa, T.P., see Fathi, Z. (53) 348
Imai, Y., Matsuo, N., Ogawa, S., Tohyama, M. and Takagi, T.
Cloning of a gene, YT521, for a novel RNA splicing-related protein induced by hypoxia/reoxygenation (53) 33
Inouye, M., see Weisbrot-Lefkowitz, M. (53) 333
Ishiguro, M., Ohsawa, I., Takamura, C., Morimoto, T. and Kohsaka, S.
Secreted form of β-amyloid precursor protein activates protein kinase C and phospholipase Cγ1 in cultured embryonic rat neocortical cells (53) 24
Iwase, K., Iyama, K.-i., Akagi, K., Yano, S., Fukunaga, K., Miyamoto, E., Mori, M. and Takiguchi, M.
Precise distribution of neuronal nitric oxide synthase mRNA in the rat brain revealed by non-radioisotopic in situ hybridization (53) 1
Iyama, K.-i., see Iwase, K. (53) 1

Jiricny, J., see Marietta, C. (53) 317
Johnson, B.G., see Wu, S. (53) 88
Johnson, R.J., Liu, N., Shanmugaratnam, J. and Fine, R.E.
Increased calreticulin stability in differentiated NG-108-15 cells correlates with resistance to apoptosis induced by antisense treatment (53) 104
Jope, R.S., see Li, X. (53) 196

Kam, K., see Seong, J.Y. (53) 226
Kang, S.S., see Seong, J.Y. (53) 226
Kelly, P.A.T., see Rasmuson, S. (53) 285
Kerwin, R.W., see Stefanis, N.C. (53) 112
Kim, D.J., see Messersmith, D.J. (53) 259
Kim, K., see Seong, J.Y. (53) 226
Kiryu-Seo, S., see Tanabe, K. (53) 291
Kiyama, H., see Tanabe, K. (53) 291
Kobayashi, M., Fujii, M., Kurihara, K. and Matsuoka, I.

Bone morphogenetic protein-2 and retinoic acid induce neurotrophin-3 responsiveness in developing rat sympathetic neurons (53) 206
Kohama, S.G., Garyfallou, V.T. and Urbanski, H.F.
Regional distribution of glutamate receptor mRNA in the monkey hippocampus and temporal cortex: influence of estradiol (53) 328
Kohsaka, S., see Ishiguro, M. (53) 24
Kurihara, K., see Kobayashi, M. (53) 206
Kusumi, I., see Liu, I.S.C. (53) 98
Kusumi, I., see Qian, I.H.-P. (53) 339
Kwon, H.B., see Seong, J.Y. (53) 226

Li, H.-S., see Morley, B.J. (53) 78
Li, J., Nixon, R., Messer, A., Berman, S. and Bursztajn, S.
Altered gene expression for calpain/calpastatin system in motor neuron degeneration (*Mnd*) mutant mouse brain and spinal cord (53) 174
Li, X., Song, L. and Jope, R.S.
Glutathione depletion exacerbates impairment by oxidative stress of phosphoinositide hydrolysis, AP-1, and NF-κB activation by cholinergic stimulation (53) 196
Linemeyer, D.L., see Burkhoff, A.M. (53) 311
Little, K., see Wouters, B.C. (53) 53
Liu, I.S.C., Kusumi, I., Ulpian, C., Tallerico, T. and Seeman, P.
A serotonin-4 receptor-like pseudogene in humans (53) 98
Liu, I.S.C., see Qian, I.H.-P. (53) 339
Liu, N., see Johnson, R.J. (53) 104

Maeda, M., see Nagano, T. (53) 13
Magazin, M., Schiltz, P., Zachayus, J.-L., Cavrois, E., Caput, D. and Ferrara, P.
Inhibition of lysophosphatidic acid-induced neurite retraction and cell rounding by SR 57746A (53) 301
Magnani, M., see Cimino, M. (53) 297
Mandelzys, A., see Pérez-Otaño, I. (53) 41
Marietta, C., Palombo, F., Gallinari, P., Jiricny, J. and Brooks, P.J.
Expression of long-patch and short-patch DNA mismatch repair proteins in the embryonic and adult mammalian brain (53) 317
Marini, P., see Cimino, M. (53) 297
Matsuo, N., see Imai, Y. (53) 33
Matsuoka, I., see Kobayashi, M. (53) 206
Matute, C., see García-Barcina, J.M. (53) 270
McAllister, G., see Stefanis, N.C. (53) 112
McCarthy, D.B., see Petitto, J.M. (53) 152
McIntosh, H.H., Song, C. and Howlett, A.C.
CB_1 cannabinoid receptor: cellular regulation and distribution in N18TG2 neuroblastoma cells (53) 163
Meffert, S., see Stroth, U. (53) 187
Messer, A., see Li, J. (53) 174
Messersmith, D.J., Kim, D.J. and Iadarola, M.J.
Transcription factor regulation of prodynorphin gene expression following rat hindpaw inflammation (53) 259
Mirochnitchenko, O., see Weisbrot-Lefkowitz, M. (53) 333
Miyamoto, E., see Iwase, K. (53) 1
Mocchetti, I., see Colangelo, A.M. (53) 218
Mohammed, A.H., see Rasmuson, S. (53) 285
Morelli, M., see Crocker, S.J. (53) 69
Morgan, J.I., see Pérez-Otaño, I. (53) 41
Mori, M., see Iwase, K. (53) 1
Mori, N., see Tanabe, K. (53) 291
Mori, Y., see Nagano, T. (53) 13
Morimoto, T., see Ishiguro, M. (53) 24
Morley, B.J., Li, H.-S., Hiel, H., Drescher, D.G. and Elgoyhen, A.B.
Identification of the subunits of the nicotinic cholinergic receptors in the rat cochlea using RT–PCR and in situ hybridization (53) 78

Nagano, T., Nakamura, A., Mori, Y., Maeda, M., Takami, T., Shiosaka, S., Takagi, H. and Sato, M.
Differentially expressed olfactomedin-related glycoproteins (Pancortins) in the brain (53) 13
Nagano, T., see Nakamura, T. (53) 321
Nakabeppu, Y., see Crocker, S.J. (53) 69
Nakamura, A., see Nagano, T. (53) 13
Nakamura, T., Tanaka, T., Nagano, T., Yoneda, T., Takagi, H. and Sato, M.
Distribution of mRNA encoding Tat-binding protein-1 (TBP-1), a component of 26S proteasome, in the rat brain (53) 321
Nakamura, T., see Tanabe, K. (53) 291
Nam, D., see Qian, I.H.-P. (53) 339
Nichol, K.A., see Fathi, Z. (53) 348
Nixon, R., see Li, J. (53) 174
Norden, J.J., see Wouters, B.C. (53) 53

Ochi, T., see Tanabe, K. (53) 291
Ogawa, S., see Imai, Y. (53) 33
Ohsawa, I., see Ishiguro, M. (53) 24
Olsson, T., see Rasmuson, S. (53) 285

Palombo, F., see Marietta, C. (53) 317
Pecins-Thompson, M., Brown, A.N. and Bethea, C.L.
Regulation of serotonin re-uptake transporter mRNA expression by ovarian steroids in rhesus macaques (53) 120
Pérez-Otaño, I., Mandelzys, A. and Morgan, J.I.
MPTP-Parkinsonism is accompanied by persistent expression of a Δ-FosB-like protein in dopaminergic pathways (53) 41
Perry, B., see Weisbrot-Lefkowitz, M. (53) 333
Petitto, J.M., Huang, Z., Raizada, M.K., Rinker, C.M. and McCarthy, D.B.
Molecular cloning of the cDNA coding sequence of IL-2 receptor-γ (γ_c) from human and murine forebrain: Expression in the hippocampus in situ and by brain cells in vitro (53) 152
Pine, K.A., see Fathi, Z. (53) 348
Powell, J.F., see Cagampang, F.R.A. (53) 277
Preston, K.M., see Hughes, P.E. (53) 138

Qian, I.H.-P., Kusumi, I., Ulpian, C., Tallerico, T., Nam, D., Liu, I.S.C., Seeman, M.V. and Seeman, P.
A human serotonin-7 receptor pseudogene (53) 339

Raizada, M.K., see Petitto, J.M. (53) 152
Rasmuson, S., Olsson, T., Henriksson, B.G., Kelly, P.A.T., Holmes, M.C., Seckl, J.R. and Mohammed, A.H.
Environmental enrichment selectively increases 5-HT1A receptor mRNA expression and binding in the rat hippocampus (53) 285
Rattray, M., see Cagampang, F.R.A. (53) 277
Reuhl, K., see Weisbrot-Lefkowitz, M. (53) 333
Rinker, C.M., see Petitto, J.M. (53) 152
Robertson, G.S., see Crocker, S.J. (53) 69
Rockey, P.K., see Wu, S. (53) 88
Rosteck Jr., P.R., see Wu, S. (53) 88
Ryu, K., see Seong, J.Y. (53) 226

Salon, J.A., see Burkhoff, A.M. (53) 311
Sato, M., see Nagano, T. (53) 13
Sato, M., see Nakamura, T. (53) 321
Schett, G., see Hu, Y. (53) 251
Schiltz, P., see Magazin, M. (53) 301
Schmidt, A., see Tief, K. (53) 307
Schoepp, D.D., see Wu, S. (53) 88
Schofield, W.N., see Stefanis, N.C. (53) 112
Seckl, J.R., see Rasmuson, S. (53) 285
Seeman, M.V., see Qian, I.H.-P. (53) 339
Seeman, P., see Liu, I.S.C. (53) 98
Seeman, P., see Qian, I.H.-P. (53) 339
Seong, J.Y., Kang, S.S., Kam, K., Han, Y.-G., Kwon, H.B., Ryu, K. and Kim, K.
Differential regulation of gonadotropin-releasing hormone (GnRH) receptor expression in the posterior mediobasal hypothalamus by steroid hormones: implication of GnRH neuronal activity (53) 226
Shanmugaratnam, J., see Johnson, R.J. (53) 104
Shiosaka, S., see Nagano, T. (53) 13
Song, C., see McIntosh, H.H. (53) 163
Song, L., see Li, X. (53) 196
Stefanis, N.C., Bresnick, J.N., Kerwin, R.W., Schofield, W.N. and McAllister, G.
Elevation of D_4 dopamine receptor mRNA in postmortem schizophrenic brain (53) 112
Stroth, U., Meffert, S., Gallinat, S. and Unger, T.
Angiotensin II and NGF differentially influence microtubule proteins in PC12W cells: role of the AT_2 receptor (53) 187

Takagi, H., see Nagano, T. (53) 13
Takagi, H., see Nakamura, T. (53) 321
Takagi, T., see Imai, Y. (53) 33
Takami, T., see Nagano, T. (53) 13
Takamura, C., see Ishiguro, M. (53) 24
Takiguchi, M., see Iwase, K. (53) 1
Tallerico, T., see Liu, I.S.C. (53) 98
Tallerico, T., see Qian, I.H.-P. (53) 339
Tanabe, K., Kiryu-Seo, S., Nakamura, T., Mori, N., Tsujino, H., Ochi, T. and Kiyama, H.
Alternative expression of Shc family members in nerve-injured motoneurons (53) 291
Tanaka, T., see Nakamura, T. (53) 321
Tief, K., Schmidt, A. and Beermann, F.
New evidence for presence of tyrosinase in substantia nigra, forebrain and midbrain (53) 307

Tohyama, M., see Imai, Y. (53) 33
Tsujino, H., see Tanabe, K. (53) 291

Uhl, G.R., see Wang, X.B. (53) 344
Ulpian, C., see Liu, I.S.C. (53) 98
Ulpian, C., see Qian, I.H.-P. (53) 339
Unger, T., see Stroth, U. (53) 187
Urbanski, H.F., see Kohama, S.G. (53) 328

Wang, J., see Fathi, Z. (53) 348
Wang, X.B. and Uhl, G.R.
Subtracted differential display: Genes with amphetamine-altered expression patterns include calcineurin (53) 344
Ward, S.A., see Fathi, Z. (53) 348
Weisbrot-Lefkowitz, M., Reuhl, K., Perry, B., Chan, P.H., Inouye, M. and Mirochnitchenko, O.
Overexpression of human glutathione peroxidase protects transgenic mice against focal cerebral ischemia/reperfusion damage (53) 333
Wigle, N., see Crocker, S.J. (53) 69
Wouters, B.C., Bock-Samson, S., Little, K. and Norden, J.J.
Up-regulation of fast-axonally transported proteins in retinal ganglion cells of adult rats with optic–peroneal nerve grafts (53) 53
Wright, R.A., see Wu, S. (53) 88
Wu, S., Wright, R.A., Rockey, P.K., Burgett, S.G., Arnold, J.S., Rosteck Jr., P.R., Johnson, B.G., Schoepp, D.D. and Belagaje, R.M.
Group III human metabotropic glutamate receptors 4, 7 and 8: Molecular cloning, functional expression, and comparison of pharmacological properties in RGT cells (53) 88

Xu, Q., see Hu, Y. (53) 251

Yan, Q., see Hughes, P.E. (53) 138
Yano, S., see Iwase, K. (53) 1
Yoneda, T., see Nakamura, T. (53) 321
Young, D., see Hughes, P.E. (53) 138

Zachayus, J.-L., see Magazin, M. (53) 301
Zimanyi, I.A., see Fathi, Z. (53) 348
Zou, Y., see Hu, Y. (53) 251